

Luxury Crafted
for Everyday
Moments

800X
2400MM

15MM



PERFECT SIZE
THAT
MAXIMIZE YOUR
ASPIRATION



800x 2400mm

± 15MM
THICKNESS



"Arlo Smart Solid Surface redefines versatility, erasing the boundaries between architecture and furnishing, between interiors and exteriors. More than just tiles, they adapt seamlessly—from grand facades to intimate furniture pieces—offering endless modular possibilities. With Arlo, design freedom expands into realms that once seemed unreachable."

EDGE PROFILES

ARLO designs are available in glossy and matt finishes and different types of edge profiles to expand your design options. Offering unmatched durability with no maintenance, easy-care convenience, and superior stain resistance, we back our surfaces with a transferable Full Lifetime Warranty to ensure years of flawless service.



FLAKES AND CHIPS SNP

FULLBODY
800x2400mm



A FINE
COMPOSITION OF
URBAN STYLE





Milano **Pista**

Size
800x2400mm

Typology
Fullbody SNP

Finish
Glossy

Thickness
15mm



Milano **Peach**

Size
800x2400mm

Typology
Fullbody SNP

Finish
Glossy

Thickness
15mm





Milano **Taupe**

Size
800x2400mm

Typology
Fullbody SNP

Finish
Glossy

Thickness
15mm



Copper **Pearl**


Size
800x2400mm

Typology
Fullbody SNP

Finish
Glossy

Thickness
15mm





White Pearl

Size
800x2400mm

Typology
Fullbody SNP

Finish
Glossy

Thickness
15mm





Galaxy **Verona**

Size
800x2400mm

Typology
Fullbody SNP

Finish
Glossy

Thickness
15mm



Galaxy **Beige**

Size
800x2400mm

Typology
Fullbody SNP

Finish
Glossy

Thickness
15mm





Galaxy **Brown**

Size
800x2400mm

Typology
Fullbody SNP

Finish
Glossy

Thickness
15mm



Galaxy **Dark Grey**

Size
800x2400mm

Typology
Fullbody SNP

Finish
Glossy

Thickness
15mm





Galaxy **Walnut**


Size
800x2400mm

Typology
Fullbody SNP

Finish
Glossy

Thickness
15mm

Also Available in Matt as **M-Galaxy Walnut**





Galaxy **Verde**

Size
800x2400mm

Typology
Fullbody SNP

Finish
Glossy

Thickness
15mm



Iron **Grey SNP**

Size
800x2400mm

Typology
Fullbody SNP

Finish
Glossy

Thickness
15mm





Umber **Brown SNP**

Size
800x2400mm

Typology
Fullbody SNP

Finish
Glossy

Thickness
15mm



Barry **Grey**

Size
800x2400mm

Typology
Fullbody SNP

Finish
Glossy

Thickness
15mm





Nero Chips

Size
800x2400mm

Typology
Fullbody SNP

Finish
Glossy

Thickness
15mm





Crystal **White**

Size
800x2400mm

Typology
Fullbody Flakes

Finish
Glossy

Thickness
15mm



Pearl **Barley**

Size
800x2400mm

Typology
Fullbody Flakes

Finish
Glossy

Thickness
15mm





Pearl Bianco

Size
800x2400mm

Typology
Fullbody Flakes

Finish
Glossy

Thickness
15mm



SOLID COLOURS


GLOSSY

FULLBODY
800x2400mm



EXPLORATION
OF THE IMPACT
OF COLOURS





Dark Grey

Size
800x2400mm

Typology
Fullbody

Finish
Glossy

Thickness
15mm





Umbar **Brown**

Size
800x2400mm

Typology
Fullbody

Finish
Glossy

Thickness
15mm



Iron **Grey**

Size
800x2400mm

Typology
Fullbody

Finish
Glossy

Thickness
15mm






Marron **Brown**

Size
800x2400mm

Typology
Fullbody

Finish
Glossy

Thickness
15mm



Crema **Ivory**


Size
800x2400mm

Typology
Fullbody

Finish
Glossy

Thickness
15mm






Carbon **Black**

Size
800x2400mm

Typology
Fullbody

Finish
Glossy

Thickness
15mm



Elegant **White**

Size
800x2400mm

Typology
Fullbody

Finish
Glossy

Thickness
15mm



Jaisalmer

Size
800x2400mm

Typology
Fullbody

Finish
Glossy

Thickness
15mm




SOLID COLOURS

MATT

FULLBODY
800x2400mm



EXPLORATION
OF THE IMPACT
OF COLOURS





Soft **Peach**

Size
800x2400mm

Typology
Fullbody

Finish
Matt

Thickness
15mm



Soft **Pista**

Size
800x2400mm

Typology
Fullbody

Finish
Matt

Thickness
15mm





Soft **Taupe**

Size
800x2400mm

Typology
Fullbody

Finish
Matt

Thickness
15mm



Soft **Copper**

Size
800x2400mm

Typology
Fullbody

Finish
Matt

Thickness
15mm






M-Marron **Brown**

Size
800x2400mm

Typology
Fullbody

Finish
Matt

Thickness
15mm



Crema **Scuro**

Size
800x2400mm

Typology
Fullbody

Finish
Matt

Thickness
15mm



M-Dark Grey


Size
800x2400mm

Typology
Fullbody

Finish
Matt

Thickness
15mm





Larix **Black**

Size
800x2400mm

Typology
Fullbody

Finish
Matt

Thickness
15mm



Vintage **White**

Size
800x2400mm

Typology
Fullbody

Finish
Matt


Thickness
15mm




Color Body Carving

800x2400mm

AN ESSENCE OF
CONTEMPORARY
EXPRESSION





Sparkle **Dark Grey**

Size
800x2400mm

Typology
Color Body

Finish
Carving

Thickness
15mm



Sparkle **Marron**

Size
800x2400mm

Typology
Color Body


Finish
Carving

Thickness
15mm



Face 1





Sparkle **White**

Size
800x2400mm

Typology
Color Body

Finish
Carving

Thickness
15mm



Face 1



Sparkle **Nero**

Size
800x2400mm

Typology
Color Body

Finish
Carving

Thickness
15mm



Face 1



WHITE COLOR BODY

800x2400mm



A RENDITION OF
HARMONY AND
ELEGANCE




T Nano **White**

Size
800x2400mm

Typology
Colorbody Glazed

Finish
Glossy

Thickness
15mm





Alex **Calacatta**

Size
800x2400mm

Typology
Color Body

Finish
Glossy

Thickness
15mm



Face 1



Atlantic **White**

Size
800x2400mm

Typology
Color Body

Finish
Glossy

Thickness
15mm



Face 3





Bianco **Lasa**

Size
800x2400mm

Typology
Color Body

Finish
Glossy

Thickness
15mm



Face 1



Golden **Othello**

Size
800x2400mm

Typology
Color Body

Finish
Glossy

Thickness
15mm



Face 1





Exotic **White**

Size
800x2400mm

Typology
Color Body

Finish
Glossy

Thickness
15mm



Face 1



Helix **White**

Size
800x2400mm

Typology
Color Body

Finish
Glossy

Thickness
15mm



Face 2





Imperial **White**

Size
800x2400mm

Typology
Color Body


Finish
Glossy

Thickness
15mm



Face 2





Matrix **White**

Size
800x2400mm

Typology
Color Body

Finish
Glossy

Thickness
15mm



Face 1



Nexa **White**

Size
800x2400mm

Typology
Color Body


Finish
Glossy

Thickness
15mm



Face 1





Spider **Statuario**

Size
800x2400mm

Typology
Color Body

Finish
Glossy

Thickness
15mm



Face 1



White **Topaz**

Size
800x2400mm

Typology
Color Body

Finish
Glossy

Thickness
15mm



Face 1





Carpecia **Wine**

Size
800x2400mm

Typology
Color Body

Finish
Glossy

Thickness
15mm



Face 1





M Topaz **White**

Size
800x2400mm

Typology
Color Body

Finish
Carving

Thickness
15mm



Face 1



Acero **White**

Size
800x2400mm

Typology
Color Body

Finish
Carving

Thickness
15mm



Face 1





Pacific **White**

Size
800x2400mm

Typology
Color Body

Finish
Carving

Thickness
15mm



Face 1



BEIGE COLOR BODY

800x2400mm

TIMELESS
DESIGN WITH A
TRENDY FLAIR





Bottochino

Size
800x2400mm

Typology
Color Body

Finish
Glossy

Thickness
15mm



Face 1



Breccia Max

Size
800x2400mm

Typology
Color Body

Finish
Glossy

Thickness
15mm



Face 1





T Cosmic **Beige**

Size
800x2400mm

Typology
Color Body

Finish
Glossy

Thickness
15mm



Face 1



T Dyna **Turkish**

Size
800x2400mm

Typology
Color Body

Finish
Glossy

Thickness
15mm



Face 1





Mango **Onyx**

Size
800x2400mm

Typology
Color Body

Finish
Glossy

Thickness
15mm



Face 1



Travertino

Size
800x2400mm

Typology
Color Body

Finish
Glossy

Thickness
15mm



Face 1





Aspen **Pine**

Size
800x2400mm

Typology
Color Body

Finish
Matt

Thickness
15mm



Face 1





Aspen **Brown**

Size
800x2400mm

Typology
Color Body

Finish
Matt

Thickness
15mm



Face 1



Aspen **Walnut**

Size
800x2400mm

Typology
Color Body


Finish
Matt

Thickness
15mm



Face 1





Face 2

Liner **Crema**

Size
800x2400mm

Typology
Color Body

Finish
Carving

Thickness
15mm



BLACK COLOR BODY

800x2400mm



AN IMPRESSIVE
IMPACT
GIVEN BY
CLASSY SHADES





Zed **Black**

Size
800x2400mm

Typology
Colorbody Glazed

Finish
Glossy

Thickness
15mm





Black Tiger

Size
800x2400mm

Typology
Color Body

Finish
Glossy

Thickness
15mm



Face 1



Blue Diamond

Size
800x2400mm

Typology
Color Body

Finish
Glossy

Thickness
15mm



Face 3





Cosmos **Black**

Size
800x2400mm

Typology
Color Body

Finish
Glossy

Thickness
15mm



Face 1



Lumuria **Negro**

Size
800x2400mm

Typology
Color Body

Finish
Glossy

Thickness
15mm



Face 1





Emirald **Quartz**

Size
800x2400mm

Typology
Color Body

Finish
Glossy

Thickness
15mm



Face 2



Monet **Black**

Size
800x2400mm

Typology
Color Body


Finish
Glossy

Thickness
15mm



Face 1





Ocean **Blue**

Size
800x2400mm


Typology
Color Body

Finish
Glossy

Thickness
15mm



Face 1





Mushroom **Black**

Size
800x2400mm

Typology
Color Body

Finish
Glossy

Thickness
15mm



Face 1



Nero **Marquina**

Size
800x2400mm

Typology
Color Body


Finish
Glossy

Thickness
15mm



Face 1





Opal **Blue**

Size
800x2400mm

Typology
Color Body

Finish
Glossy

Thickness
15mm



Face 1



Portoro **Gold**

Size
800x2400mm

Typology
Color Body


Finish
Glossy

Thickness
15mm



Face 3





Sahara **Black**

Size
800x2400mm

Typology
Color Body

Finish
Glossy

Thickness
15mm



Face 2



Sonata **Black**

Size
800x2400mm

Typology
Color Body


Finish
Glossy

Thickness
15mm



Face 1





Thunder **Black**

Size
800x2400mm

Typology
Color Body

Finish
Glossy

Thickness
15mm



Face 1





Taurus **Black**

Size
800x2400mm

Typology
Color Body

Finish
Glossy

Thickness
15mm



Face 1



Unique **Negro**

Size
800x2400mm

Typology
Color Body

Finish
Glossy

Thickness
15mm



Face 1





Tobacco **Brown**

Size
800x2400mm

Typology
Color Body

Finish
Glossy

Thickness
15mm



Face 1



Volga **Blue**

Size
800x2400mm

Typology
Color Body

Finish
Glossy

Thickness
15mm



Face 2



HOW WE ARE DIFFERENT FROM GRANITE & QUARTZ

AREA OF COMPARISON	ARLO	GRANITE	QUARTZ STONE
Flexural Strength	> 40 Mpa	> 21 Mpa	40 - 50 Mpa
Apparent Density	2.20 - 2.70 kg/dm ³	2.20 - 2.40 kg/dm ³	2.20 - 2.45 kg/dm ³
Abrasion Resistance	> 25 mm	> 16.4 - 18 mm	20 - 22 mm
Colour Consistency	As Per Standard	Variable	As Per Standard
Porosity	Low	High	High
Frost Resistance	Pass	Pass	Fail
Cost Of Onsite Polishing	Nil	Extra	Nil
Water Absorption %	0.08	0.1	0.2
Wastage	No	Yes	No
Pinhole Cracks	No	Yes	No
Uniformity In Quantity Supplied	Yes	No	No
Laying & Completion Time	Low	High	Average
Maintenance	Low	High	High
Size Consistency	Yes	No	Yes
Thickness	Fix	Variable	Fix
Hardness	6	4	6
Breaking Strength	High	Low	High
Glossiness	95+	70	55
Chemical Resistance	Resistance	Reactable	Reactable
Stain Free	Yes	No	No

All pictures are shown for illustration purposes only. Kindly note, actual colors may vary and color variation with batch change may occur.

TECHNICAL SPECIFICATION OF ACCORD FULLBODY VITRIFIED TILE

TEST DISCRPTION			
CHARACTERISTIC	TEST METHOD	STANDARD AS PER ISO-13006/EN14411 GROUP	OUR STANDERDS
Deviation in Length	IS-13630-1	±0.50%	±0.10%
Deviation in Width	IS-13630-1	±0.50%	±0.10%
Deviation in Thickness	IS-13630-1	±5.00%	±5.00%
Straightness of Sides	IS-13630-1	±0.50%	±0.10%
Rectangularity	IS-13630-1	±0.60%	±0.15%
Surface Flatness	IS-13630-1	±0.50%	±0.20%
Surface Quality	IS-13630-1	Min. 95%	Min. 95%
PHYSICAL PROPERTIES			
Water Absorption	IS-13630-2	≤0.50%	≤0.50%
Modulus of Rupture(N/mm ²)	IS-13630-6	Min. 35N/mm ²	Min. 37N/mm ²
Beaking Strength(N)	IS-13630-6	≥7.5mm-1300N	≥7.5mm-1400N
Moisture Expansion(mm/m)	IS-13630-3	0.06 Max	0.01 Max
Scratch Hardness of Surface	IS-13630-13	Min. 4	Min. 4
Resistance of Surface Abrasion(Glazed Tiles)	IS-13630-11	As pr Mfg.	Class I Min.
Coefficient of Linear Thermal Expansion	IS-13630-4	As pr Mfg.	6.5x10 ⁻⁶ Max.
Thermal Shock Resistance	IS-13630-5	10 Cycles Min.	10 Cycles Min.
Crazing Resistance	IS-13630-9	As pr Mfg.	5 Cycles at 7.5Bar Pressure
Impact Resistance-Coefficient of Restitution	IS-13630-14	As pr Mfg.	0.55 Min.
Frost Resistance	IS-13630-10	As pr Mfg.	No Damage
Bulk Density (g/cc)	IS-13630-2	>2.0 gm/cc	>2.0 gm/cc
CHEMICAL PROPERTIES			
Resistance of Staining	IS-13630-8	Class I Min.	Class II
Resistance of Household Chemicals	IS-13630-8	Class AA Min.	Class AA
Resistance to Acids & Alkalis	IS-13630-8	As pr Mfg.	Min. Class A
Slip Resistance	150-13006/EN1444 Group B A	As pr Mfg.	As pr Mfg.

PACKING DETAIL

No.	Size	Thickness (approx.)	Pieces/Box	Area/Box	Wt./Box (approx.)
01	800x2400mm	15mm	1 pcs.	1.92 sq. mtr.	68 Kgs.



Savera International

Corporate Office
Off No 1 & 2, First Floor
Dharma Gold Complex
8/A National Highway
Morbi - 363642
Guj - INDIA

Call/Chat: - +91-7990190009
mail: -
morbiho@saverainternatioanl.com

Join us on :

