




600X  
1200MM

**SUGAR**  
COLLECTION





# Elegance

You Can Feel

Every tile in the SUGAR Collection is designed to reflect purity, balance, and premium craftsmanship. With superior finish and durable strength, it ensures your spaces remain beautiful, bright, and inviting for years to come.

The SUGAR Collection is more than just tiles — it is a statement of refined living. Soft hues, smooth surfaces, and flawless detailing come together to create interiors that feel warm, elegant, and inspiring.

**SUGAR**  
COLLECTION



The SUGAR Collection redefines simplicity with its clean lines, smooth textures, and refined tones. It creates a seamless flow across floors and walls, enhancing spatial harmony and bringing a sense of calm sophistication to every corner.

Crafted for those who appreciate understated luxury, the SUGAR Collection offers timeless appeal with modern performance. Its gentle elegance blends perfectly with any décor style, from classic to contemporary.

# Minimal

Design. Maximum  
Elegance



**SUGAR**  
COLLECTION

600X  
1200MM



**SUGAR**  
COLLECTION

Inspired by nature's softness and urban refinement, the SUGAR Collection delivers a surface that feels as good as it looks.

# SPACES



## That Feel Like **Home**

The SUGAR Collection is where minimal design meets maximum comfort. Its delicate shades and polished surface create a peaceful atmosphere, making every space feel lighter, larger, and more luxurious. A perfect choice for contemporary homes and premium commercial spaces.

Designed for modern lifestyles, the SUGAR Collection combines visual elegance with everyday practicality. Resistant to wear, easy to maintain, and rich in aesthetic appeal, these tiles offer beauty that lasts for years.

# SUGAR COLLECTION

# Gentle

Beauty, Lasting  
Performance



Mass coloured with flakes



< 140 mm<sup>3</sup>

Deep abrasion resistance



Stain resistant



9,5 mm

Single Thickness



A1

Fire resistance



Acid resistance



≥ 2400 N

Higher breaking strength



Slip resistance



≥ 45 N/mm<sup>2</sup>

Flexural strength



Does not emit VOC'S



Frost resistant




Scratch resistance



SUGAR Collection brings a perfect balance of softness and strength to modern interiors. Inspired by light, clean tones and refined textures, each tile reflects calm elegance and timeless beauty. Designed for those who love subtle luxury, this collection transforms everyday spaces into bright, graceful, and welcoming environments.

With its smooth finish and gentle color palette, the SUGAR Collection adds a sense of freshness and purity to every room. These tiles are crafted with precision to deliver lasting durability while maintaining a soft, sophisticated look that never goes out of style.



# BELLAZIO GOLD



SIZE  
600X1200MM | FINISH  
SUGAR LAPPATO

RANDOM

04

**SUGAR**  
COLLECTION

FRENCH MIST GREY

---




SIZE 600X1200MM | FINISH SUGAR LAPPATO | RANDOM 06

---





FRENCH MIST GREY



# OLIVER PEARL



SIZE  
600X1200MM | FINISH  
SUGAR LAPPATO

RANDOM


04



**SUGAR**  
COLLECTION


OCEANO ICE

---



SIZE 600X1200MM | FINISH SUGAR LAPPATO | RANDOM 03

---





## BENITO GREY



SIZE  
600X1200MM | FINISH  
SUGAR LAPPATO + CARVING

RANDOM

03



BENITO GREY

**SUGAR**  
COLLECTION

**GLINTO GREY**

---



SIZE 600X1200MM | FINISH SUGAR LAPPATO + CARVING | RANDOM 04

---





## PEROLA IVORY



SIZE 600X1200MM | FINISH SUGAR LAPPATO + CARVING

RANDOM

04

**SUGAR**  
COLLECTION

**CORDELA BEIGE**

---



SIZE 600X1200MM | FINISH SUGAR LAPPATO | RANDOM 03

---





## ETHOS BEIGE



SIZE  
600X1200MM | FINISH  
SUGAR LAPPATO

RANDOM

03



ETHOS BEIGE

**SUGAR**  
COLLECTION

**MANDALA CREMA**

---



SIZE 600X1200MM | FINISH SUGAR LAPPATO | RANDOM 09

---





MANDALA CREMA



## DINOVA CREMA



SIZE 600X1200MM | FINISH SUGAR LAPPATO + CARVING


RANDOM

03

**SUGAR**  
COLLECTION




**DINOVA GREY**

---



SIZE 600X1200MM | FINISH SUGAR LAPPATO + CARVING | RANDOM 03

---







# FULMINE CREMA



SIZE 600X1200MM | FINISH SUGAR LAPPATO + CARVING

RANDOM

04

**SUGAR**  
COLLECTION

**FULMINE GREY**

---



SIZE 600X1200MM | FINISH SUGAR LAPPATO + CARVING | RANDOM 04

---





## LITOS SIBERIA BEIGE



SIZE 600X1200MM | FINISH SUGAR LAPPATO + CARVING

RANDOM

05

**SUGAR**  
COLLECTION

LITOS SIBERIA GREY

---



SIZE 600X1200MM | FINISH SUGAR LAPPATO + CARVING | RANDOM 05

---





# SAPPHIRE ONYX



SIZE  
600X1200MM | FINISH  
SUGAR LAPPATO

RANDOM

05

**SUGAR**  
COLLECTION


RIVER CEDAR

---



SIZE 600X1200MM | FINISH SUGAR LAPPATO + CARVING | RANDOM 04

---





RIVER CEDAR



# UNICO GRIGIO



SIZE 600X1200MM | FINISH SUGAR LAPPATO + CARVING

RANDOM

05

**SUGAR**  
COLLECTION


APEX BLACK

---



SIZE 600X1200MM | FINISH SUGAR | RANDOM 03

---





# NERO MARQUINA



SIZE  
600X1200MM | FINISH  
SUGAR

RANDOM

04

## TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP Bla	MEAN VALUE OF PGVT	MEAN VALUE OF GVT	Method of Testing
<b>REGULATORY PROPERTIES</b>				
Deviation in length & width	± 0.5 %	± 0.1 %	± 0.1 %	ISO-10545-2
Deviation in thickness	± 5.0 %	± 4.0 %	± 4.0 %	ISO-10545-2
Straightness in side	± 0.5 %	± 0.1 %	± 0.1 %	ISO-10545-2
Rectangularity	± 0.6 %	± 0.1 %	± 0.1 %	ISO-10545-2
Surface flatness	± 0.5 %	± 0.2 %	± 0.2 %	ISO-10545-2
Color difference	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg.	Min. 90%	Min. 4%	GLOSSOMETER
<b>STRUCTURAL PROPERTIES</b>				
Water absorption	< 0.50 %	< 0.20 %	< 0.20 %	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	> 2.10 g/cc	DIN 51082
<b>MASSIVE MECHANICAL PROPERTIES</b>				
Modulus of rupture	Min. 35 N/mm <sup>2</sup>	Min. 40 N/mm <sup>2</sup>	Min. 40 N/mm <sup>2</sup>	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5
<b>SURFACE MECHANICAL PROPERTIES</b>				
Surface abrasion resistance	As per mfg	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg	Min. 4	Min. 5	EN 101
<b>THERMO HYGROMETRIC PROPERTIES</b>				
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10 <sup>-6</sup>	Max. 6.5 x 10 <sup>-6</sup>	Max. 6.5 x 10 <sup>-6</sup>	ISO-10545-8
<b>CHEMICAL PROPERTIES</b>				
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14
<b>SAFETY PROPERTIES</b>				
Slip resistance	As per mfg	> 0.40	> 0.40	ISO-10545-17
Fire resistance	As per mfg	Fireproof	Fireproof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg	Does not yield Pb. & Cd.	Does not yield Pb. & Cd.	ISO-10545-15

## PACKING DETAILS

Size	Normal Thickness	No. of Tiles/Box	Coverage Area/Box		Wt. of Box (approx)
60x120cm	8.5 mm	2 pcs	1.44 sq. mtr.	15.50 sq. ft.	27.00 kg



**SAVERA**  
International  
CORPORATE OFFICE: -  
Off No 1 to 5, First Floor, Dharma Gold Complex  
8/A National Highway  
Morbi - 363642

mail: - [morbiho@saverainternational.com](mailto:morbiho@saverainternational.com)

Call/Chat: - +91-7990190009

[www.saverainternational.com](http://www.saverainternational.com)